

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) [Publications/Services](#) [Standards](#) [Conferences](#) [Careers/Jobs](#)

RELEASE 1.5

Welcome  
United States Patent and Trademark Office[Help](#) [FAQ](#) [Terms](#)[Quick Links](#)[» Search Results](#)[IEEE Peer Review](#)

Welcome to IEEE Xplore®

- Home
- What Can I Access?
- Log-out

**Tables of Contents**

- Journals & Magazines
- Conference Proceedings
- Standards

**Search**

- By Author
- Basic
- Advanced

**Member Services**

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

 [Print Format](#)Your search matched **6** of **976857** documents.A maximum of **6** results are displayed, **15** to a page, sorted by **Relevance** in **descending** order.

You may refine your search by editing the current search expression or entering a new one the text box.

Then click **Search Again.** ((magnetic <and> stitch) and ((1950 <in> py) or (1951 <in> py) or (1952 <in> py) or (1**Results:**Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD****1 Sidetrack erasure of stitched-pole magnetic recording heads**

*Guarisco, D.; Li, M.; Lin, H.; Back, C.H.; Acremann, Y.;*  
Magnetics Conference, 2000. INTERMAG 2000 Digest of

Technical Papers. 2000 IEEE International , April 9-13, 2000

Page(s): 636 -636

 [Print Format](#)[\[Abstract\]](#) [\[PDF Full-Text \(100 KB\)\]](#) **IEEE CNF****2 DC-SQUIDs fabricated by electron beam direct writing**

*Carelli, P.; Foglietti, V.; Leoni, R.;*  
Magnetics, IEEE Transactions on , Volume: 23 Issue: 2 , Mar 1987  
Page(s): 1087 -1089

[\[Abstract\]](#) [\[PDF Full-Text \(560 KB\)\]](#) **IEEE JNL****3 Writing performance of IND/SV combination heads with sub-micron track width**

*Yoshida, M.; Terunuma, K.; Iijima, A.; Sasaki, Y.;*  
Magnetics, IEEE Transactions on , Volume: 35 Issue: 5 , Sept. 1999  
Page(s): 2496 -2498

[\[Abstract\]](#) [\[PDF Full-Text \(220 KB\)\]](#) **IEEE JNL**

---

**4 Side track erasure of stitched-pole magnetic recording heads**

*Guarisco, D.; Li, M.L.; Lin, H.; Back, C.H.; Acremann, Y.;*  
Magnetics, IEEE Transactions on , Volume: 36 Issue: 5 , Sept  
2000  
Page(s): 2527 -2529

[\[Abstract\]](#) [\[PDF Full-Text \(84 KB\)\]](#) **IEEE JNL**

---

**5 Design of recessed yoke heads for minimizing adjacent track encroachment**

*Young Keun Kim; Lee, S.; Hoosan Lee;*  
Magnetics, IEEE Transactions on , Volume: 36 Issue: 5 , Sept  
2000  
Page(s): 2524 -2526

[\[Abstract\]](#) [\[PDF Full-Text \(72 KB\)\]](#) **IEEE JNL**

---

**6 Planar yoke write head for half-micron track width**

*Oyama, N.; Kuwashima, T.; Matsuda, O.; Kamijima, A.;*  
*Asanuma, Y.; Iijima, A.; Sasaki, Y.;*  
Magnetics, IEEE Transactions on , Volume: 36 Issue: 5 , Sept  
2000  
Page(s): 2509 -2513

[\[Abstract\]](#) [\[PDF Full-Text \(120 KB\)\]](#) **IEEE JNL**

---

	Type	Hits	Search Text	DBs
4	BRS	928	g11b\$.ipc. and (pole same tip)	EPO; JPO; DERWENT; IBM_TDB
5	BRS	8	(g11b\$.ipc. and (pole same tip)) and sacrificial	EPO; JPO; DERWENT; IBM_TDB